UNCLASSIFIED

AD 415613

DEFENSE DOCUMENTATION CENTER

FOR

SCIENTIFIC AND TECHNICAL INFORMATION

CAMERON STATION, ALEXANDRIA, VIRGINIA



UNCLASSIFIED

NOTICE: When government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U. S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

ARCTIC AEROMEDICAL LABORATORY LADD AIR FORCE BASE TECHNICAL NOTE CONTINUATION OF FACTORS AFFECTING WATER PURIFICATION (16) by Letter BARIDO DECEMBER 1957

CONTINUATION OF FACTORS AFFECTING WATER PURIFICATION

Lester Baribo

INTRODUCTION

The following is a continuation of the work reported in Technical Note AAL-TN-56-13. The methods used were the same as those used in the above note. The work has been extended to determine the effect of pH on the disinfecting action of chlorine, iodine, and colloidal silver. The effects of various other factors affecting the action of colloidal silver are also reported.

RESULTS

The effects of pH on the action of various chemicals tested are shown.

in Figures 1, 2, and 3. The distilled water was buffered with 0.005 M phosphate buffer. Lowering the pH enhanced the action of chlorine and iodine. The result with colloidal silver indicated no effect of pHA It perhaps is more accurate to say that the effect is small, as the next higher concentration; test (10-3) showed complete inhibition of the organisms.

Figure 1 shows the effect of temperature on the action of colloidal silver A As the temperature increased from 0°C, to 37°C, there was a marked increase in the inhibitory properties of colloidal silver.

* with very to to enjoy a do to at a

Figure 5 shows the effect of Ca++ ions on colloidal silver. Increasing the Ca++ ion concentration inhibited the action of the colloidal silver. Similar effect was produced with iodine.

Figure 6 shows the effect of Fe+++ ions on colloidal silver. A similar action occurred to that of Ca with inhibition at high concentration.

Figure 7 shows the effect of organic matter. The data indicate that organic matter had no effect on the action of colloidal silver.

DISCUSSION

These data indicate that colloidal silver would be unsatisfactory as a purificant for water in the field. The relatively long time required to be effective would be sufficient reason to discard it. It is also affected by other physical and chemical factors which affect chlorine and iodine. Tests were carried out in the laboratory to determine the physiological reaction of white mice fed colloidal silver. Ten mice were fed all their water as 10^1 , 10^2 , 10^3 , and 10^4 dilution of colloidal silver for 3 months. No abnormal pathology was noted. Mice drinking the highest concentrations became dehydrated and failed to grow rapidly; however, no other adverse effects were observed.

Samples of water were collected on various field trips at Galena and Arctic Village to determine physical and chemical properties. Analyses made were found in the same range as that reported in the literature.

The result of this study indicates that none of the chemicals tested is ideal as a water purificant. The results do not indicate any combination which would be effective. Further studies are needed.









